Assignment 8

Preventive medicine (continued); Chemical, Biological, and Radiological Warfare; Administration; Supply

Textbook assignment pages 11-25 through 14-19

- 8-1. During a food service sanitation 8-5. Temporary mosquito control inspection, you are required to measures include
 - 1. verify that food service personnel have received the proper training verify the proper size of
 - hand washing signs in lavatories
 - 3. personally inspect each member for cleanliness
 - question each member about his or her personal hygiene practices
- A vector control specialist may be which of the following who has received specialized training at a DVEC?
 - 1. Any preventive medicine technician
 - Any advanced laboratory technician
 - 3. Any HM2 or above
 - 4. Both 1 and 2 above
- To minimize the hazards of pesticide use, you should do all of the following EXCEPT
 - 1. wear an OSHA/NIOSH approved respirator with any cartridge available
 - protect food and serving utensils
 - 3. read the instruction label on each pesticide each time you use it
 - 4. shower after each pesticide application job
- 8-4. The most important item in control of flies is
 - 1. proper sanitation measures

 - screening of all buildings
 daily use of daily use of paradichlorobenzene (PDB) in latrines
 - 4. daily application of insecticides to areas with a high density population of flies

- - 1. aerosol space sprays of insecticides

 2. draining of impounded water

 3. adding Gambusia fish to
 - large bodies of water
 - 4. burying bottles, cans, and tires
- 8-6. A bedbug infestation may be recognized by small, hard, white wheals on a patient and

 - 1. EPMU reports
 2. blood of excrement on the mattress
 - 3. pest on the deck
 - 4. all of the above
 - 8-7. Cockroach infestation in food preparation areas can be controlled by
 - 1. adequate lighting 24 hours a day
 - 2. daily spraying with residual insecticides
 - 3. hourly disposal of refuse
 - 4. proper cleaning of food prepartion areas, equipment, and utensils
 - 8-8. In addition to proper sanitation, effective chemical control of cockroaches also requires
 - 1. elimination of harborages
 - 2. daily spraying with residual insecticides
 - 3. hourly disposal of refuse
 - 4. all of the above

- 8-9. on you body, you should
 1. remove it with tweezers or
 - forceps
 - 2. coat it with Vaseline and
 - let it drop off by itself
 3. burn it off with a lit match or cigarettes
 - 4. apply an antiseptic and ignore it; it will leave in a few hours
- The recommended method of control 8-10. for an infestation of nice is
 - 1. poisoning
 - 2. trapping
 - 3. fumigation
 - wire screening in all buildings
- 8-11. The best poisoned bait for the Norway rat in
 - 1. fish orF meat
 - fruits or melons 2.
 - 3. sweet potatoes
 - 4. bread or oatmeal
- 8-12. Although spring traps can be effective without bait, they are more effective when baited. Preferred baits may include all of the following EXCEPT
 - 1. cheese

 - coconut
 bacon rind
 - 4. fresh raw vegetables
- 8-13. Even though most naval shore activities receive water from a municipal source, the Navy is responsible for
 - is chlorinated before receipt
 - 2. the integrity of the base water distribution system
 - 3. ensuring that the water received is pure
 - 4. the disinfection of all water received

- If you discover a tick feeding 8-14. One step in disinfecting water in a canteen is to
 - 1. ensure the threads of the canteen neck are rinsed with treated water
 - 2. boil the water before treatment
 - 3. boil the water after treatment
 - 4. filter the water through a clean cloth, i.e., cheese cloth
 - 8-15. Shipboard water distilled from a suspected contaminated source must be chlorinated to ___ ppm after 39 minutes contact time.
 - 1. 0.02
 - 2. 0.2

 - 3. 2.0 4. 20.0
 - 8-16. After a 24 hour incubation, you note eight reddish hued bacterial colonies on a water sample you are testing. You should
 - 1. suspect fecal contamination and institute corrective action immediately
 - 2. incubate another sample from the same source. If the results are the same, submit another sample for outside testing
 - 3. log the results as background growth: no other action is required
 - 4. increase the FAC to 2.0 to 3.0 ppm
- 1. ensuring the municipal water 8-17. One of the differences that may determine whether to use a chemical or biological agent in warfare is that
 - 1. biological agents are universally effective against humans and constant in their effect
 - 2. effective immunity against chemical agents is readily available
 - 3. immediate effects produced with chemical agents
 - 4. there are significant difference

- 8-18. The general classifications of physiologic effects of chemical agents include all of the following EXCEPT
 - 1. incapacitants
 - 2. sternutators
 - 3. harassing
 - 4. casualty producing
- 8-19. The tendency of a chemical agent to remain effective in a contaminated area is known as
 - 1. lethality
 - 2. persistency
 - 3. volatility
 - 4. permeability
- 6-20. Inhalation of nerve gas characteristically results in 1. local muscular twitching
 - 2. day mouth
 - 3. pinpoint pupils
 - 4. pulmonary 1 dome
- 8-21. In a definitive care facility, the indicated treatment of a nerve agent victim includes
 - 1. 2 mg stropine and 600 mg 2-PAN chloride every 15 minutes until recovery
 - 2. 2 mg stropine every 15 minutes until the victim has a dry mouth and mild tachycardia
 - 660 mg 2-PAM chloride every 15 minutes until the victim is conscious
 - 4. respiratory support only
- 8-22. Specific antidotal therapy is available for which, if any, of the following vesicants?
 - 1. Mustard (HD)
 - 2. Nitrogen mustard (HM)

 - 3. Lewisite (L)
 4. None of the above
- 8-23. The part of the body most sensitive to the effects of mustard gases is the
 - 1.
 - 2. tracheobronchial tree
 - 3. liver
 - 4. skin

- 8-24. First aid treatment for blood agents is amyl nitrite ampules followed by
 - 1. oral potassium chloride
 - oral sodium thiosulfate
 - intravenous potassium chloride
 - intravenous sodium thiosulfate
- 8-25. The symbol for phospene gas is
 - 1. C1
 - 2. CN
 - 3. CG
 - 4. CK
- 8-26. An early indication of exposure to phosgene gas in casualty producing amounts is the smell of
 - 1. bitter almonds
 - 2. a freshly mown lawn
 - 3. geraniums
 - none of the above. Phosgene is undetectable.
- 8-27. The chemical agent that primarily effects the higher regulatory functions of the CNS is known by the symbol
 - 1. AC
 - 2. BZ
 - 3. CN 4. CC
- 8-28. Exposure to fresh air and allowing wind to blow across wide open eyes is generally sufficient treatment for
 - 1. psychochemicals
 - lacrimators 2.
 - 3. vomiting agents
 - 4. glycolates
- 8-29. With exposure to Adamsite, which, if any, of the following actions must be taken to minimize or inhibit the symptoms of exposure?
 - 1. Don a protective mask and continue duties as vigorously as possible.
 - 2. Give an intramuscular injection of physostigmine.
 - 3. Give an intravenous infusion of sodium thiosulfate.
 - 4. Do none of the above.

- 8-30. Burning white phosphorus particles embedded in the skin are treated by
 - surgical removal followed by a copper sulfate wet dressing
 - a copperI sulfate rinse then surgical removal
 - 3. a copper sulfate rinse only
 - 4. allowing them to burn out
- 8-31. In the even of a nuclear detonation, the best position to assume is
 - sitting, with the knees drawn up to the chest, facing away from the blast
 - 2. supine with the face covered
 - on your side, in & fetal position facing away from the blast
 - face down with your faca covered
- 8-32. The treatment of thermal burns from a nuclear detonation differs from more conventional burn wounds in that
 - conventional burn wounds are generally less serious
 - conventional burn wounds are more likely to become infected
 - burning resulting from a nuclear detonation are more painful
 - 4. there is no difference
- 8-33. A serious internal radiation hazard, alpha particles can enter the body through
 - 1. the digestive system
 - 2. the respiratory system
 - 3. open wounds
 - 4. any of the above
- 8-34. Of the following, which type of radiation has the greatest penetrating power?
 - 1. Alpha
 - 2. Beta
 - 3. Gamma
 - 4. Neutron

- 8-35. When using antibiotic for victims of radiation injuries, it is recommended that you use
 - 1. one-half the normal dosage
 - 2. the nominal dosage
 - 3. two times the normal dosage
 - 4. three times the normal dosage
- 8-36. The Medical Department Journal contains a chronological record of events concerning the Medical Department and should include all of the following EXCEPT
 - reports of personnel casualties, injuries, or deaths
 - personnel entered onto or deleted from the binnacle list
 - medical histories of personnel
 - 4. training lectures to stretcher barriers
- 8-37. NAVMED 6320/18, Binnacle List, is used to list all personnel
 - 1. admitted to the hospital
 - excused from duty for 24 hours or less because of illness
 - excused from duty for more than 24 hours because of illness
 - who reported to sick call in the morning
- 8-38. NAVMED 6320/20, Morning Report of the Sick, must be submitted to the commanding officer daily by
 - 1. 0800
 - 2. 0900
 - 3. 1000
 - 4. 1100
- 8-39. When submitting the monthly Medical Services Outpatient Morbidity Report, the reported condition is
 - submitted only for personnel admitted as inpatient
 - submitted only in the event of death
 - 3. the initial complaint
 - 4. the final diagnosis

- 8-40. The Medical Services and Out- 8-45. Speedletters are used patient Morbidity Report is required to be
 - Postmarked not later than the fifth working day of the
 - received by NAVMEDDATSERCEN not later than the fifth working day of the month
 - 3. postmarked not later than the
 - tenth day of the month
 4. received by MAVMEDDATSERCEN by the tenth day of the month
- A notice issued under the Navy Directive 1ssuance System has the same force and effect as an instruction.
 - 1. True
 - 2. False
- Routine unclassified 8-42. correspondence must contain all of the following items in the identification symbol EXCEPT
 - 1. standard subject identification symbol
 - 2. date
 - 3. serial number
 - 4. organization code
- Which of the following is the 8-43. correct format for the subject line of routine unclassified correspondence?
 - 1. Request for Full Time Outservice Training
 REQUEST FOR FULL TIME
 - OUTSERVICE TRAINING
 - 3. Full Time Outservice
 - Training, Request for 4. FULL TINE OUTSERVICE TRAINING, REQUEST FOR
- 8-44. The signature block on all copies of correspondence must be
 - 1. signed for all correspondence signed "By direction" initialed by the commanding
 - officer for all correspondence signed "By direction"
 - 3. initialed by the person typing the correspondence
 - 4. none of the above, only the original is signed

- - 1. for classified material requiring priority handling
 - 2. to issue directives

 - 3. because they are easy 4. for unclassified material requiring priority handling
- 8-46. The process used to determine the correct subject group under which documents should be filed is
 - 1. grouping
 - 2. coding
 - 3. classifying
 - 4. cross-referencing
- 8-47. A Navy letter carries the subject identification number 5320. What is the major subject of the letter?

 - Military personnel
 Operations and readiness
 - 3. General administration and management
 - 4. Financial management
- 8-48. Tickler files are used to determine all of the following
 - 1. when reports are due
 - 2. ship's movement/port schedule
 - when physical examinations are required
 - immunization schedules
- 8-49. The OCR scanner will reject any document that has
 - 1. erasures
 - 2. strikeovers
 - 3. misalignments
 - 4. any of the above
 - 8-50. Fabric ribbons must be used for typing since carbon ribbons do not provide adequate and consistent density.
 - 1. True 2. False
 - 8-51. The block delete symbol is represented by a/an

 - "Christmas tree"
 elongated hyphen 2.
 - 3. chair
 - 4. hook

- 8-52. The document control listing serves which of the following functions?
 - 1. Provides a serial number for each OCR document received
 - A receipt from NMPC of each document received
 - A listing of errors in each document received
 - 4. All of the above
- 8-53. The Naval Medical and Dental Material Bulletin, COMNAVMEDSUPPCOM NOTE 6700 is published
 - 1. monthly
 - 2. quarterly
 - 3. semiannually 4. annually
- 8-54. Which of the following types of appropriations is not normally used by the Navy?
 - 1. Multiple-year
 2. Annual

 - 3. Continuing
 - 4. Apportioning
- 8-55. At the end of the second quarter, funds that have not been obligated in the previous quarter are
 - 1. carried over into the next quarter
 - 2. carried over into the next
 - 3. returned to the Treasury
 - 4. placed in the command's welfare and recreation fund
- 8-56. The shipboard medical OPTAR may be used to purchase all of the following items EXCEPT
 - x-ray units and film processors
 - 2. medical books and publication
 - 3. first aid gun bags
 - 4. litters and stretchers
- 8-57. The Federal Supply Catalog system is administered by the
 - 1. Comptroller of the Navy
 - 2. Secretary of Defense
 - 3. Defense Logistics Agency
 - 4. Secretary of the Navy

- 8-58. Which of the following characteristics could designate an item as controlled equipage?
 - 1. High cost
 - 2. Liable to pilferage
 - 3. Required for ship's mission
 - 4. Each of the above
- 8-59. The first four digits of a National Stock Number are known as the
 - Federal Supply 1.
 - Classification code
 - Federal Stock number
 - 3. National Identification number
 - 4. Cognizance symbol
- 8-60. How many digits are in a National

Stock Number?

- 1. 9 2. 10 3. 12 4. 13
- 8-61. In which of the following would you find acquisition advice codes, handling or storage codes, and a brief description
 of each item?
 - 1. Management Data List (MDL)
 - 2. Identification List (IL)
 - Authorized Medical Allowance 3. List (AMAL) Naval Supply System Command
 - 4. Manual

To answer items 8-62 through 8-64, select from the table below the level of supply defined in the item.

- Stockage objective
- Safety level 2.
- Operating level 3.
- Requisitioning objective
- 8-62. The quantity of an item required to support operation between the time a requisition is submitted and receipt of material
- 8-63. The minimum amount of an item of material required to support operations
- 8-64. The maximum amount of material in stock and on order to support operation

- 8-65. Medical journals and books may be ordered on a
 - Dd Form 1149, Requisition and Invoice/Shipping Document
 - NAVSUP Form 1250-1, Single-Line Item Consumption Document (manual)
 - 3. DD Form 1348m, DOD Single-Line Item Requisition Document (mechanical)
 - 4. DD Form 1340m, Non-NSN Requisition (manual)
- 8-66. The Urgency of Need Designator (UND) on a requisition is assigned by the
 - 1. activity requiring the material
 - 2. supply depot

 - 3. stock point
 4. inventory control point
- 8-67. A Report of Discrepancy, SF 364, is used to
 - determine the cause of a discrepancy
 - effect corrective action on a discrepancy
 - prevent recurrence of a discrepancy do all of the above
- 8-68. The primary purpose of an inventory is to

 - locate missing items determine what items are in a storeroom
 - ensure balances on hand match stock record cards
 - balance the OPTAR
- 8-69. Inventory of controlled substances must be conducted
 - 1. Weekly
 - monthly 2.
 - 3. quarterly
 - semiannually
- 8-70. Contingency supply blocks are inventoried
 - monthly
 - 2. quarterly
 - semiannually during the 3. firt and third quarter
 - annually in October

COURSE DISENROLLMENT

All study materials must be returned. On disenrolling, fill out only the upper part of this page and attach it to the inside front cover of the textbook for this course. Mail your study materials to the Naval Education and Training Program Management Support Activity.

PRINT CLEARLY

NAVEDTRA NUM	BER			COURSE TITLE
80669			Hospita	Corpsman 3 & 2
Name	Last	First	Mi	ddl e
Rank/Rate		Designator	Social S	ecurity Number
	 	COURSE COMPLETION		
		Letters of satisfactory completion are issued personnel whose courses are administered by th Education and Training Program Management Supp On completing the course, fill out the lower p page and enclose it with your last set of answ Be sure mailing addresses are complete. Mail Naval Education and Training Program Managemen Activity.	e Naval ort Activity art of this er sheets. to the	•
		PRINT CLEARLY		
NAVEDTRA NUM	BER			COURSE TITLE
80669			ноѕртта	Corpsman 3 & 2
		Name		
		ZIP CO	DE	
MY SERVICE R	RECORD IS	HELD BY:		
Activity				
Address				ZIP CODE
Signature of	enrollee			

PRIVACY ACT STATEMENT

Under the authority of Title 5 USC 301, information regarding your military or other DOD status is requested on this answer sheet in order to complete a Navy Correspondence Course. The information will also be used to process course completion letters and to construct and maintain an official and continuing record of correspondence course participation. The cumulative course participation record will not be divulged, without written authorization, to anyone other than those within the DOD for official use in determining performance and effecting organizational and administrative management.

A FINAL QUESTION: What did you think of this course? Of the text material used with the course? Comments and recommendations received from enrollees have been a major source of course improvement. You and your command are urged to submit your constructive criticisms and your recommendations. This tear-out form letter is provided for your convenience. Typewrite if possible, but legible handwriting is acceptable.

				Date	
From:	(RANK, RATE, CIVILIAN)	SSN:			
	ZIP CODE				
To:	Commanding Officer Naval Health Sciences Education and Training National Naval Medical Clinic Bethesda, MD 20814-5022	g Command	(Code 05)		
Subj:	NRTC HOSPITAL CORPSMAN 3 & 2. NAVEDTRA 80669	9			

1. The following comments are hereby submitted:

	(Fold along	g dotted line and	staple or tape)	
			• • • • • • • • • • • • • • • • • • • •	
	(Fold along	g dotted line and	staple or tape)	
DEPARTMENT O	F THE NAVY			

COMMANDING OFFICER NAVAL HEALTH SCIENCES

BETHESDA, MD 20889-5022

EDUCATION AND TRAINING COMMAND (CODE 53)

COMMANDING OFFICER NAVAL HEALTH SCIENCES

BETHESDA, MD 20889-5022

NATIONAL NAVAL MEDICAL CENTER

OPPICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NATIONAL NAVAL MEDICAL CENTER

EDUCATION AND TRAINING COMMAND (CODE 53)

NAVEDTRA 1430/5 Stock Ordering No. 0502-LP-216-0100

PRINT OR TY							NAVEDTRA	
NAME				ADDF				
 -	_ast	First	Middle		Street/Ship/U	hit/Divi	sion, etc.	
BALH/ 15.455	005 05				City or FPO	State	ASSIGNMENT NO.	Zip
rank/rate ☐ USN	SOC. SEC	NU	☐ INACTIVE	OTUED (DESIGNATOR Specify)		-	
L) usn	□ navev	☐ HC114E		UINER (SCORE
								SCORE
1	2 3 4		1 2 T F	3 4		<u>į</u>	2 3 4	
	F					; 		
1 📋			26 []		<u></u>	51 [
2 📙			27 🔲 🗍			52 []		
3 ☐			28 📙 📙			53 ∐		
4 📙			29 📙 🗀			54 📙		
5 🗌			20 🔲 🔲			55 🗌		
6 🗆			31 🔲 🔲			56 🗌		
7 🔲			32 🔲 🔲			57		
8 🗀			ಷ 🗆 🗆			58 🗌		
9 🔲			34 🔲 🔲			59 🔲		
10			35 🔲 🔲			60 🗆		
11 🗀			36 🔲 🖂			61 🔲		
12 🔲			37 🔲 🔲			62 🔲		
13 🔲			38 🔲 🔲			ಟ 🛚		
14			39 🔲 🔲			64 🔲		
15 🔲			40 🔲 🔲			65 🔲		
16 🔲			41 🖂 🖂			66 🔲		